# CONTRACT DATA REQUIREMENTS LIST

FORM APPROVED OMB NO. 0704-0188

PUBLIC REPORTING BURDEN FOR THIS COLLECTION OF INFORMATION IS ESTIMATED TO AVERAGE 440 HOURS PER RESPONSE, INCLUDING THE TIME FOR REVIEWING INSTRUCTIONS, SEARCHING EXISTING DATA SOURCES., GATHERING AND MAINTAINING THE DATA NEEDED AND COMPLETING AND REVIEWING THE COLLECTION OF INFORMATION. SEND COMMENTS REGARDING THIS BURDEN ESTIMATE OR ANY OTHER ASPECT OF THIS COLLECTION OF INFORMATION, INCLUDING SUGGESTIONS FOR REDUCING THIS BURDEN TO DEPT. OF DEFENSE, WASHINGTON HEADQUARTERS SERVICES, DIRECTORATE FOR INFORMATION OPERATIONS AND REPORTS, 1215 JEFFERSON DAVIS HWY., SUITE 1204, ARLINGTON, VA. 22202-4302, AND TO THE OFFICE OF MANAGEMENT AND BUDJET, PAPERWORK REDUCTION PROJECT (0704-0188), WASH. DC 20503. PLEASE DO NOT RETURN YOUR FORM TO EITHER OF THESE ADDRESSES. SEND COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PR NO. LISTED IN BLOCK E.

A. CONTRACT LINE ITEM NO.		B. EXHI	B. EXHIBIT		C. C	ATEGO	RY:							
					T	DP .	TM	1	OTHER					
D. SYSTEM/IT	E. CC	E. CONTRACT/ PR. NO.			F.			F. CON	TRACTOR		-			
<b>3C</b> 1	1615-01-132-0792													
1.DATA ITEM	2. TITLE OF DATA	ITEM	3. 3.				3. SUBTITLE							
NO.		CERTIFIC	ERTIFICATION DATA REPORT					COMPLETE PROCESS OP SHEETS						
	(Data acquisition docum	ent 5. CO	5. CONTRACT REFERENCE					6. REQUIRING OFFICE						
No.) DI-	MISC-80678/T1								NAVICP					
7. DD 250 REQ	DD 250 REQ   9. DIST   10			FREQUENCY 12. DATE OF FIRST SUBMISSION					14. DISTRIBUTION					
LT	STATEMENT REQUIRED	AS RE	Q	:	SEE	BLOCK	#16			\$10 mg/s	b.	COPIES		
8. APP CODE	REQUIRED	11. AS OF D	ATE	13. DATE OF	SUBS	SUBSEQUENT SUBMISSION		ON	a.	ADDRESSEE	Draft	Final		
A		AS RE	Q		SEE BLOCK #15						Reg	Repro		
16. REMARKS										DCMC / ACO	*	1/0		
PARA. 10.1, 1	0.2, 10.2.1, 10.2.2, 10.2.	4, 10.2.5 SHA	ALL APP	PLY ·										
* UPON SUBM	ISSION OF FIRST ART OPERATION SHEETS	ICLE/ PROD	UCTION	LOT TEST	SAM	PLE (s)	N OF			DCMC / QAR	**	1/0		
FAT/ PLT.	OPERATION SHEETS	CHANGE AI	TERSU	CCESSFOL	CON		., 01			PCO		1/0		
											ļ		<u> </u>	
										10 m 1 t		3/0	<b></b>	
	le morte on p.m.							F-	15. TOTAL   3/0   3/0   3. SUBTITLE					
1.DATA ITEM NO.	2. TITLE OF DATA	HEM						ľ	3. SUD	IIILE				
2		CEPTIFIC	TATTON	DATA REP	PORT	•			COMPLETE INSPECTION METHOD SHEETS					
	(Data acquisition docum			T REFEREN					6. REQUIRING OFFICE					
4. AUTHORITY (Data acquisition document No.) 5. CONTRACT REFERENCE								NAVICP						
DI-	I TO EDECIT	REQUENCY 12. DATE OF FIRST SUBMISSION						14. DISTRIBUTION						
7. DD 250 REQ	9. DIST STATEMENT	-					17.	DISTRIBUTE.	b. COPIES					
LT	REQUIRED	AS RE		`		EQUENT SUBMISSION		<u>ا</u> ـ	ADDRESSEE	Draft		inal		
8. APP CODE		11. AS OF I			SEE BLOCK #1'6			OI <b>V</b>	a.	ADDICEGGE	Dian		Repro	
A 16. REMARKS		ASIC	<u>~</u>			DOCIL				DCMC / ACO	•	1/0	<del>                                     </del>	
PARA. 10.1, 10.2	2, 10.2.1, 10.2.2, 10.2.4,	10.5 SHALL	APPLY											
* UPON SUBMISSION OF FIRST ARTICLE / PRODUCTION LOT TEST SAMPLE (s)									DCMC / QAR	**	1/0			
** AT TIME OF	CONTRACT COMPLE	HON.								PCO		1/0		
													ļ	
									-		-	ļ	<u> </u>	
											+	<del> </del>	<del> </del>	
									-		+			
			1		····				15.	TOTAL .	I DA	TE	<u></u>	
G. PREPARED		H. DATE 12/18/00			. APPRO	VED BY Robert		iman		J. DATE 12/18/00				

# CONTRACT DATA REQUIREMENTS LIST

# FORM APPROVED OMB NO. 0704-0188

PUBLIC REPORTING BURDEN FOR THIS COLLECTION OF INFORMATION IS ESTIMATED TO AVERAGE 440 HOURS PER RESPONSE, INCLUDING THE TIME FOR REVIEWING INSTRUCTIONS, SEARCHING EXISTING DATA SOURCES, GATHERING AND MAINTAINING THE DATA NEEDED AND COMPLETING AND REVIEWING THE COLLECTION OF INFORMATION. SEND COMMENTS REGARDING THIS BURDEN ESTIMATE OR ANY OTHER ASPECT OF THIS COLLECTION OF INFORMATION, INCLUDING SUGGESTIONS FOR REDUCING THIS BURDEN TO DEPT. OF DEFENSE, WASHINGTON HEADQUARTERS SERVICES, DIRECTORATE FOR INFORMATION OPERATIONS AND REPORTS, 1215 JEFFERSON DAVIS HWY., SUITE 1204, ARLINGTON, VA. 22202-4302, AND TO THE OFFICE OF MANAGEMENT AND BUDJET, PAPERWORK REDUCTION PROJECT (0704-0188), WASH. DC 20503. PLEASE DO NOT RETURN YOUR FORM TO EITHER OF THESE ADDRESSES. SEND COMPLETED FORM TO THE GOVERNMENT ISSUING CONTRACTING OFFICER FOR THE CONTRACT / PR NO. LISTED IN BLOCK E.

	TINE FEEM NO	B. EXI	нтвіт		C. CATEGORY:			-			
A. CONTRACT LINE ITEM NO.		D. 12/11	1. EMPETERA		TDP TM		OTHER				
D. SYSTEM/ITEM			CONTRA	CT/ PR. NO		F.	CONTRACTOR				
		12.									
	1615-01-132-0792	PERM				SUBTITLE	_,				
1.DATA ITEM NO.	2. TITLE OF DATA				_						
3				OR WAIVE			6. REQUIRING OFFICE				
4. AUTHORITY	(Data acquisition docum	nent 5. C	CONTRAC	CT REFEREN	ICE	NAVICP					
No.)	-CMAN-80640B	ŀ									
7. DD 250 REQ		10. FREQ	UENCY	12. DATE O	F FIRST SUBMISSION		14. DISTRIB				
LT	STATEMENT	ASF							COPIES		
8. APP CODE	REQUIRED	11. AS OF			F SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft		nal	
8, AFF CODE										Repro	
16. REMARKS							DCMC / ACO		1/0		
ID. KEWIAKAS										_	
							DCMC / QAR		1/0		
							PCO		1/0		
							NAVICP-P		1/0		
!											
							15. TOTAL		4/0	<u> </u>	
1.DATA ITEM	2. TITLE OF DAT	A ITEM				]3	B. SUBTITLE				
NO.	<b>3</b> .		NIEST EC	OR DEVIAT							
4 4. AUTHORITY (Data acquisition document				CT REFERE			6. REQUIRING OFFICE				
No.)		intent 3.	CONTIN				NAVICP				
DI-CMAN-80641B				T	OF FIRST SLIPLUSSION	T	14. DISTRIBUTION				
7. DD 250 REQ 9. DIST 10.			REQUENCT 12. DATE OF TIME! BODING				14.		b. COPIES		
LT	REQUIRED		AS REQ		T OF THE SECOND SECOND		a. ADDRESSEE	Draf		Final	
8. APP CODE		11. AS OF DATE		13. DATE O	F SUBSEQUENT SUBMISS	ION	a. ADDRESSEE		Reg	Repro	
							DCMC / ACO		1/0	† <u> </u>	
16. REMARKS	3				4				1	1	
							DCMC / QAR		1/0		
							PCO		1/0		
							NAVICP-P		1/0		
									<del></del>	-	
										+	
										+	
								_	_	+	
							15. TOTAL		4/0		
- PD	D DV		וער	DATE	I. APPROVED B	Ý		J. D	ATE		
G. PREPAREI	D BY West 073i.04						Nejman pg 2 of 3 12/14/00				
, Jay	4 4CSL U1 31.U4				1,00						

# CONTRACT DATA REQUIREMENTS LIST

#### Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

Public reporting burden for this collection of information is estimated to average 110 hours pe response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this existing data sources, gathering and maintaining the data needed, and completing suggestions for reducing this burden, to Department of Defense, Washington burden sufmait or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington burden sufmait or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington burden sufmait or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington burden sufmait or any other aspect of the Contract 1204, Arilington, VA 22202-4302, and to the Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arilington, VA 22202-4302, and to the Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arilington, VA 22202-4302, and to the Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arilington, VA 22202-4302, and to the Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arilington, VA 22202-4302, and to the Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arilington, VA 22202-4302, and to the Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arilington, VA 22202-4302, and to the Headquarters Services, Directorate for Information Operations and Reports, 1215 Je

A. CONTRACT	I LINE ITEM NO	D. B. EX	HIBIT	C. CATEGO	ORY:							
					TOP_		TM	OTHER_				
D. SYSTEM/II	EM		E	. CONTR	ACT/PR	F. CO	NTRACTOR					
3C 1615-01-132												
1. DATA ITEM	1 2. TITLE O	JBTITLE .										
1. Ditie	5 CERTIFICA			ORTS		,						
4. AUTHORIT	Y (Data Acquisit	ion 5. CO	NTRACT I	REFEREN	CE	L	6. REQUIRING OF	FICE				
DI-MISC-80678			NAVICP									
7. DD 250	9. DIST	10. FREC	UENCY	12. D	ATE OF FIR	ST	14.		DISTRIBUTION			
REQ			AS REQ  1. AS OF DATE		<b>IBMISSION</b>				b. COPIES			
LT	STATEMENT				LOCK 16*		a. ADDRESSEE		Final			
8. APP CODE	REQUIRED	11. AS OI						Draft				
A		AS REQ			QUENT LOCK 16*				Reg	Repro		
PARA 10 1 10	2,10.2.1,10.2.2,1	0.2.4.10.5	APPLY				DCMC / ACO		1/0			
17101. 10.1,10.	2,101211,101212,1						DCMC / QAR	*	1/0			
BLOCK#12 -UI	PON SUBMITTA	L OF FIRS	ST ARTICL	E SAMPI	Æ (S)		PCO	**	1/0			
AND/OR PROD	DUCTION LOT S	SAMPLE.										
BLOCK #3-SEI	PERATE REPOR	TS SHALI	BE PROV	IDED FO	R THE							
BELOW LISTE	ED SUB TITLES.	CERTIFIC	CATION RE	PORTS	FOR PRIME							
PROCESS ANI	MATERIAL SI	PECIFICAT	TONS SHA	TL INCL	UDE ESE BRACES	2222				$\vdash$		
	ON THAT ALL V			шио ти	ESE FROCE	331.6			<del> </del>			
ARE PRIME (C	DEM) APPROVI	SD SOURC	ES.						<u> </u>	+-+		
BLOCK #5 - C0	ONTRACT REFI	ERENCE: I	P/N: 209-00	1-776-1					<del></del>	<del> </del>		
P/N 70107-082			.,							<del>                                     </del>		
Bushing					ļ	$\vdash$						
	ISI 440C Steel	Cond A							<del> </del> -	1		
2. Heat Treat:	SS8012 and SS80				<del> </del>	<del> </del>						
3. Magnectic I	Particle Inspection				<del> </del>							
										<del> </del>		
		. ,	50105 00°	100 T	"T" on late	~~ <del>*</del>			<del>                                     </del>			
Specifications of revision	alled out in Draw	ving numbe	L \AIA\-A97	202-109 K	ev. r oi iau	551						
revision												
These certificati	ions are required	at time of I	irst Article	Production	n lot testing o	r						
	etion if testing is				•							
•	_											
									<b>†</b>			
								<del></del>	<del> </del>	+		
									<del> </del>	+		
									<del> </del>	+		
				ļ	<b></b>							
									<u> </u>	<u> </u> -		
									3/0			
G. PREPARED	PREPARED BY H. DATE L. APPROVED B					ED BY		TE .				
	Tay West 073	i.04	02/21/	01	F	Robert	Nejman	02/2	1/01			

DD Form 1423-1, JUN 90

Previous editions are obsolete.

### QUALITY ASSURANCE PROVISIONS

NSN: 9C 1615-01-132-0792 P/N: (78286) 70107-08202-108 NOMEN: BUSHING, BIFILAR

Articles to be furnished hereunder shall be manufactured, tested and inspected in accordance with drawing number (78286) 70107-08202-108 Rev. "F", or latest revision and all details, assemblies and specifications referenced therein.

### I. Quality/Inspection Requirements

- A. MIL-I-45208 or ISO 9000 equivalent applies:
- B. First Article Testing applies:
- C. Mandatory Inspection applies:
- D. Production Lot Testing Applies

#### II. Supplemental Requirements

- A. Additionally, para. 3.1-3.5, 5.1-5.2, 6.1-6.2 of MIL-Q-9858 or ISO 9000 equivalent apply.
- B. The contractor shall include on the detailed process/operation sheets developed, a tracking method that is traceable to the contract, all in-house manufacturing processes, and the identity of all manufacturing sources performing process/operations outside their facilities. These sheets shall not be revised or altered after the successful completion of First Article and/or Production Lot Testing without approval from the Engineering Support Activity (ESA), via the PCO.
- C. The Inspection Method Sheets, which list the characteristics of each item, produced under the contract shall have serial number traceability to the raw material, casting, or forging. The tracking method used on the inspection / method sheets shall be traceable to the contract. In addition, the contractor is responsible for providing completed inspection method sheets showing the actual dimensions taken of all critical characteristics.
- D. Markings should be in accordance with MIL-STD-130 Rev. "K" paragraph 5.3.3(a), (b),(c), and (g). Method and location shall be in accordance with the drawing.

## III. Mandatory Inspection Requirements

During production, mandatory inspection is required to be accomplished by the contractor, as follows:

### A. Level of Inspection (LOI):

1) Critical Characteristics: 100% inspection shall apply.

2) Major and Minor Characteristics - LOI shall be in accordance with a sampling plan acceptable to the QAR.

#### B. Critical Characteristics:

### DRAWING (78286) 70107-08202-108

#### Critical Characteristics:

(Shall be defined as below, unless defined by the Prime Contractor (78286) Sikorsky

Diametrical and liner dimensions having a total tolerance of 0.001 or less.

Surface finishes having a 16 value or less.

Any geometric feature control requirement with a total tolerance range of 0.002 or less.

Angular tolerances with a total range less than (1) one degree.

Threads specified to class (3) three or greater.

## C. Major and Minor Characteristics:

- 1) Shall be defined by the contractor subject to QAR concurrence, unless defined on applicable drawings and associated specifications.
- IV. Unless expressly provided for elsewhere in this Clause, equipment such as fixtures, jigs, dies, patterns, templates, Mylar's, special tooling, test equipment, or any other manufacturing aid required for the manufacture and/or testing of the subject items will not be provided by the Government or any other source and is the sole responsibility of the Government or any other source and is the sole responsibility of the contractor. The foregoing applies notwithstanding any reference to such equipment or the furnishing thereof that may be contained in any drawing

# FIRST ARTICLE TESTS REQUIRED (CONTRACTOR TESTING)

#### First Article Inspection/Test Criteria: I.

The tests to be performed under the First Article approval clause of the contract are:

- A. Dimensional Check 100 % of finished part
- B. Form / Fit
- C. Compliance with drawing, (78286) 70107-08202-108 "F", and specifications Referenced therein.
- D. Review documentation as provided under DD 1423 requirements.

In addition to the above tests, the First Articles to be delivered hereunder shall also be subjected to those tests that will demonstrate that the articles comply with contract requirements.

The contractor shall be responsible for providing necessary parts and repair of the First

Article (s) during testing.

The contractor shall be responsible for providing necessary parts and repair of the First Article Sample (s) during testing.

**Special Instructions:** II.

Sample (s) may be considered as production items under the contract provided the sample(s) can be refurbished to ready for issue (RFI) condition and provided the sample(s) have inspection approval of the cognizant QAR. Sample(s) may be shipped as production items only after all other units required under the contract have been produced and are ready for shipment.

A. Marking of test sample (s)

## "FOR FIRST ARTICLE TESTING. NOT FOR RFI, DO NOT TAKE UP IN STOCK". CONTRACT NUMBER:

B. If the First Article is disapproved, the contractor, upon Government request, shall submit an additional First Article for testing. After each request, the contractor shall make any necessary changes, modification, or repairs to the First Article or select another First Article for testing. All costs related to these tests are to be borne by the contractor, including any and all costs for additional tests following disapproval. The contractor shall furnish any additional First Article to the Government under the terms and conditions and within the time specified by the Government.

The government shall act of this First Article within the time limit specified the government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule or for any additional costs to the Government related to these tests.

C. If the contractor fails to deliver any First Article on time, or the contracting officer disapproves any First Article, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause of this contract.

D. Unless otherwise provided in the contract, and if the approved First Article is not consumed or destroyed in testing, the contractor-

1) May deliver the approved First Article as part of the contract quantity if

it meets all contract requirements for acceptance.

- 2) Shall remove and dispose of any First Article from the government test facility at the contractor expense.
- E. If the Government does not act within the time specified the contracting officer shall, upon timely written request from the contractor, equitably adjust under the changes clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.
- F. Before First Article approval, the acquisition of materials or components for, or the commencement of production of, the balance of the contract quantity is at the sole risk of the contractor Before First Article approval, the costs thereof shall not be allocable to this contract for 1)-progress payments, or 2) termination settlements if the contract is terminated for the convenience of the Government.
- G. The contractor shall produce both the First Article and the production quantity at the same facility and shall submit a certification to this effect with each First Article.
- H. The contractor shall provide specific written notification to the procuring contractor officer informing him/her of the shipment of any articles furnished in accordance with this clause. Such notification must be addressed to the attention of the ACO with copies to the testing activity. Failure to provide such notification shall excuse the government from any delay in performing First Article Testing and informing the contractor of the results thereof.

# PRODUCTION LOT TESTING REQUIREMENTS (CONTRACTOR TESTING)

The material produced under contract shall be accepted by the cognizant CAO/QAR upon the successful completion of these requirements.

# I. Production Lot Test Requirements

- A. The cognizant CAO/QAR shall select two (2) item (s) at random from the production lot. In addition the QAR shall select one (1) item (s) at random from each successive lot or portion thereof.
- B. Production Lot Testing to be completed during production after First Article Approval.
- C. Sample (s) are to be unpainted. Corrosive areas to be coated with a light preservative.
- II. The tests to be performed under the Production Lot Sample testing provisions of the contract are:
- A. Compliance with drawing (78286) 70107-08202-108 Rev. "F" and all specification referenced therein.
  - B. Dimensional Check

In addition to the above tests, the Production Lot Sample(s) to be delivered hereunder shall also be subjected to those tests, which will demonstrate, that the sample(s) comply with contract requirements.

- C. If the contractor fails to deliver any Production Lot Samples for testing within the time or times specified, or if the contracting officer disapproves any Production Lot Samples, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause of this contract. This contract shall be subject to termination for default.
- D. In order for a Production Lot to be acceptable all samples representative of the lot must pass all the contract requirements. In the event a sample fails to pass such requirements; the lot will be rejected. In such an event, the government may, at its option and at no additional cost to the government, (I) terminate all or any portion of this contract for default, (II) require the manufacture of a new Production Lot, or a rework of the rejected Production Lot if the means and procedures by the contractor for rework are acceptable to the government, or (III) require the submission of additional samples for test. The foregoing procedures shall apply to new or reworked Production Lots in the same way as they did to the original Production Lot.
- E. For each additional sample or each resubmission of a modified sample which the contractor is required to submit for approval hereunder as a result of a failure of a previous sample to conform to the requirements of the specification,

the contractor shall pay to the government the costs of reinspection, examination and retesting and the contractor and his sureties (if any) shall be liable for the amount of such costs.

F. Nothing contained in the foregoing provisions of this clause. and no action of the government in accordance herewith, shall in any way prejudice the right of the government under the clause of this contract entitled Default.